



























ambienta

TECHNICAL SHEET										
ARTICLE ARTICOLO	GARZA VOILE FR 0101				COLLECTION COLLEZIONE	firewall®				
COMPOSITION COMPOSIZIONE	100% POLYESTER FR									
WIDTH / CM ALTEZZA	300									
HEM ORLO	SELVEDGE	LEAD BAND								
WEIGHT GR / M2 PESO GR / M2	80									
DESIGN REPEAT RAPPORTO DISEGNO	NO									
FINISHING FINISSAGGIO	PIECE DYED									
HARMONIZED CUSTOM TARIF TARIFFA DOGANALE	54076130									
LIGHT FASTNESS ALLA LUCE	SOLIDITA'	1	2	3	4	5	6	7	8	
DIMENSIONAL STABILITY STABILITA' DIMENSIONALE	WARP ORDITO	0-1%	1%-2%	2%-3%	3%-4%	4%-5%	OVER			
	WEFT TRAMA	0-1%	1%-2%	2%-3%	3%-4%	4%-5%	OVER			
FASTNESS COLOR TO RUBBING RESISTENZA ALLO SFREGAMENTO	wet umido	1	2	3	4	5	6	7	8	
	dry secco	1	2	3	4	5	6	7	8	
MARTINDALE TEST ABRASIONE	10000	15000	20000	30000	35000	40000	50000	OVER		
PILLING	1	2	3	4	5					
FR TEST OMOLOGAZIONI	ITALIA CLASSE 1	FRANCE M1	GERMANY B1	BRITISH BS TYPE B	NFPA 701	EN 13773	IMO			
END USE UTILIZZO										
PACKING IMBALLAGGIO	FWR	DFR	Legenda : FWR=FULL WIDTH ROLL / DFR=DOUBLE FOLDED ROLL							
CARE SYMBOLS									wash lavaggio	
									iron stiro	
										cleaning dry lavaggio a secco
OTHER SYMBOLS ALTRI SIMBOLI										
REACH	conformity and information according to REACH									

